## **REMARKS**

## Status of the Claims and Formal Matters

Claims 1-2, 6, 8-9, 12-17, 23-29, and 63-74 are currently pending in the application.

## Rejection under 35 U.S.C. § 103(a)

There is a single rejection remaining in this case -- under 35 U.S.C. § 103(a) as being allegedly unpatentable over Chee et al., U.S. 2003/018088867 ("Chee") in view of Krull et al., WO 98/58079 ("Krull). Applicants also submit herewith the Declaration of Dr. Marcel Margulies ("Margulies Declaration ¶ \_\_"). The rejection should be withdrawn in view of the arguments and data presented in Dr. Margulies' declaration and made herein.

Applicants acknowledge with appreciation the December 12, 2006 Interview with the Examiner. At the Interview, Applicants discussed the § 103 rejection in view of the express limitations recited in the claims, which are directed to a novel method for sequencing a nucleic acid comprising a cavitated fiber optic wafer formed from a fused bundle of a plurality of individual optical fibers, each individual fiber having specified dimensions (or to an apparatus having such a substrate). Specifically, each of the claims require that each individual optical fiber has a diameter between 3 and 100  $\mu$ M, the thickness of the wafer (i.e., length of the optic fiber) between the top surface and the bottom surface is between 0.5 mm and 5.0 mm and the depth of each well ranges from between one half the diameter of an individual optical fiber and three times the diameter of an individual optical fiber. These specific parameters of the claimed cavitated fiber optic wafers are not chosen arbitrarily. Margulies Declaration ¶ 5.

As Dr. Margulies demonstrates in his declaration, the claimed wafer thickness is important for light transmission properties of the claimed wafer. In fact, the light transmission in the claimed thickness range is nearly 100%, in contrast with only about 18% for a 300 mm fiber. Margulies Declaration ¶ 7.

In addition, the claimed well diameter and well depth parameters are important to the diffusion properties of the substrate recited in each of the claims. Paragraphs 8 - 13 of Dr.

Applicants: Rothberg, et al.

U.S.S.N. 10/788,529

Margulies' declaration demonstrate that there are a number of competing requirements that must

be balanced in selecting the well diameter and well depth dimensions in a nucleic acid

sequencing application.

Finally, Dr. Margulies notes that Chee alone is insufficient to lead to the claimed

invention. Chee is silent as to the specific express dimensions claimed here. Further, the

combination of Chee and Krull cannot be maintained. Krull is not properly combined with Chee

- in fact Krull teaches away, since Krull encourages light transmission across the circumferential

surface of a fiber by removing the cladding on any one fiber. If combined with Chee, this would

lead to a fused fiber optic with no cladding between the fused fibers -- leading to complete cross-

talk between each of the fused fibers -- a fatal deficiency when trying to resolve individual light

signals in each separate fiber. Margulies Declaration ¶¶ 14-16.

For the foregoing reasons, the rejection should be withdrawn.

**CONCLUSION** 

Applicants believe that the claims as amended are patentable and a prompt allowance is

respectfully requested.

If further discussion of this case is deemed to be helpful, the Examiner is encouraged to

contact the undersigned at the telephone number provided below, and is assured of full

cooperation in progressing the instant claims to allowance.

Respectfully submitted,

Slonu bout

Dated: January 16, 2007

Ivor Elrifi, Reg. No. 39,529

Ilona Gont, Reg. No. 58,714

MINTZ, LEVIN, COHN, FERRIS, et al.

666 Third Avenue, 24th Floor

New York, NY 10017

Telephone: (212) 935-3000

Telefax: (212) 983-3115

8